

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	50	greenblat.in	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 08:10
S2	31	helzer.in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 08:10
S3	✓ 4	S1 AND S2	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 08:13
S4	✓ 11	((("6069514") or ("6111859") or ("6222409") or ("6252264") or ("6309915") or ("6429536") or ("6437618") or ("6452931") or ("6456407") or ("6463497") or ("6463033"))).PN.	USPAT	OR	OFF	2006/01/24 08:18
S5	✓ 8	((("4,672,607") or ("4,760, 571") or ("4,933,938") or ("5,229,993") or ("5,341, 369") or ("5,485,578") or ("5,594,728") or ("6,049, 824") or ("6,311,212") or ("6,339,788"))).PN.	USPAT	OR	OFF	2006/01/24 08:18
S6	2000	system\$1 ADJ1 on ADJ1 chip\$1 OR system\$1on\$1chip\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:52
S7	✓ 172	S6 AND ring\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:22
S9	70592	(ring\$1 OR loop\$1) WITH (time\$1slot\$1 OR slot\$1 OR ATM OR asynchronous ADJ1 transfer\$3 ADJ1 mode\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:25
S10	1498	utopia\$2 OR universal\$2 ADJ1 test\$3 ADJ2 operation\$1 ADJ1 interfac\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:26
S11	✓ 179	S9 AND S10	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:45

S12	343	ring\$1 WITH (time\$1slot\$1 OR slot\$1 OR ATM OR asynchronous ADJ1 transfer\$3 ADJ1 mode\$1) SAME (chip OR micro\$1chip\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:05
S13	103	switch\$2 ADJ1 on ADJ1 chip\$1 OR switch\$1on\$1chip\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:22
S14	✓ 90	S13 AND ring\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:30
S16	1656	710/305.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:30
S17	✓ 38	S16 AND S9	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:34
S18	✓ 125	370/257.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:35
S19	✓ 8	S18 AND S9	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:35
S20	✓ 176	370/258.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:48
S21	✓ 280	370/403.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:39
S22	✓ 212	370/404.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 13:39
S24	27002	field\$1 ADJ1 program\$1able\$1 ADJ1 gate\$1 ADJ1 array\$1 OR FPGA	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:05

S25	374	S9 AND S24	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:06
S26	✓ 156	S9 AND S24 AND "370"/\$6. cccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:23
S27	1073	external\$4 WITH ring\$1 SAME (convert\$3 OR conversion\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:25
S28	✓ 23	S27 AND S24	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:24
S29	✓ 223	external\$4 NEAR2 interface\$1 WITH ring\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:37
S30	116088	digital ADJ1 signal\$3 ADJ1 process\$4 OR DSP	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:37
S31	8680	S24 AND S30	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:38
S32	5955	S24 SAME S30	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:38
S33	✓ 28	S24 SAME S30 SAME ring\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:45
S34	11129	protocol\$3 NEAR2 (convert\$3 OR conversion\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 17:45
S35	✓ 179	protocol\$3 NEAR2 (convert\$3 OR conversion\$1) SAME ring\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 18:07

S36	✓ 13	ring\$1 WITH external\$3 WITH (dynamic\$3 ADJ1 memor\$3 ADJ1 access\$3 OR DMA)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 07:25
S37	7356	(ring\$1 OR circular\$1 OR circle\$1) NEAR2 bus\$2	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 08:31
S38	801	S37 SAME interface\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 07:26
S39	✓ 208	S37 SAME interface\$1 SAME (memor\$3 OR FIFO OR buffer\$3 OR queue\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 08:05
S40	✓ 47	"6,687,757" "6,516,952" "5, 553,061" "6,816,940" "20030050055" "6,345,310" "6,438,135" "6,789,056" "20050105556" "20030210702" "20030053481"	US-PGPUB ; USPAT	OR	OFF	2006/01/25 07:38
S41	✓ 18	Vobla	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:27
S42	✓ 34	S37 SAME (dynamic\$3 ADJ1 memor\$3 ADJ1 access\$3 OR DMA)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 08:09
S44	✓ 59	S37 SAME (digital ADJ1 signal\$3 ADJ1 process\$4 OR DSP)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 08:29
S46	3337	(ring\$1 OR circular\$1 OR circle\$1) NEAR2 (bus OR buses)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 12:08
S47	✓ 25	S46 AND (utopia\$2 OR universal\$2 ADJ1 test\$3 ADJ2 operation\$1 ADJ1 interfac\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 08:32
S49	15571	(packet\$1 OR protocol\$1) NEAR2 (processor\$1 OR CPU OR integrat\$3 ADJ1 circuit\$1 OR IC OR chip\$1 OR micro\$1chip\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 08:34

S51	✓219	S46 AND S49	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 08:34
S54	✓3	((("5,974,487") or ("5,886,992") or ("5,812,547"))).PN	USPAT	OR	OFF	2006/01/25 08:45
S55	✓4	((("6,820,158") or ("6,810,520") or ("5,812,547") or ("6,260,087"))).PN.	USPAT	OR	OFF	2006/01/25 08:45
S56	✓290	709/251.ccls	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:29
S58	827	S46 AND peripheral\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:30
S59	✓109	S46 SAME peripheral\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:37
S60	824	S46 AND interrupt\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:44
S61	✓85	S46 SAME interrupt\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:44
S62	✓5	("5050166" "5140587" "5157657" "5229993" "5241540").PN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/01/25 10:54
S63	✓4	("5490145" "5758075" "5896384" "6052373").PN	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/01/25 12:06
S64	✓4	("6496516").URPN.	USPAT	OR	OFF	2006/01/25 12:07
S65	✓215	(ring\$1 OR circular\$1 OR circle\$1) WITH (bus OR buses) SAME (bus OR buses) WITH (point\$1to\$1point\$1 OR point\$1 ADJ1 to ADJ1 point\$1 OR P\$1t\$1p)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 12:09
S68	✓94	interrupt\$3 WITH ring\$1 WITH (saving\$1 OR save\$1 OR write\$1 OR writing\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 09:57

S69	40487	(ring\$1 OR loop\$1 OR circle\$1 OR circular\$1) WITH (integrat\$3 ADJ1 circuit\$1 OR IC OR chip\$1 OR micro\$1chip\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 10:27
S70	✓ 232	(ring\$1 OR loop\$1 OR circle\$1 OR circular\$1) NEAR2 (network\$1 OR bus OR buses) WITH (integrat\$3 ADJ1 circuit\$1 OR IC OR chip\$1 OR micro\$1chip\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:26
S71	✓ 18	Vobla	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 12:28
S73	42926	dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 12:28
S74	1202	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) AND (over\$1load\$3 OR over\$1 ADJ2 load\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 12:29
S75	✓ 73	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) SAME (over\$1load\$3 OR over\$1 ADJ2 load\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 12:55
S76	1086	710/22.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:37
S77	1615	710/22-28.ccls	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 12:41
S78	✓ 63	710/22-28.ccls. AND (ring\$1 OR loop\$1 OR circle\$1 OR circular\$1) NEAR3 (network\$3 OR bus OR buses OR topolog\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 12:42
S79	2930	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) WITH load\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 13:08
S80	✓ 225	S79 AND "370"/\$6.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 12:56

S81	2289	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) AND token\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 13:08
S82	✓ 249	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) SAME token\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 13:24
S83	✓ 86	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) SAME credit\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 13:30
S84	4352	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) NEAR2 request\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:24
S85	✓ 147	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) NEAR2 request\$3 WITH (valid\$1 OR validat\$3 OR invalid\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:16
S86	✓ 133	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) NEAR2 agent\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:37
S87	593	710/240.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:37
S88	✓ 134	710/240.ccls. AND (dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:44
S89	1670	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) SAME (count\$3 OR number\$3) WITH request\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:46
S90	740	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) NEAR2 control\$4 SAME (count\$3 OR number\$3) WITH request\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:01
S91	✓ 337	S90 AND ("710"/\$6.ccls. OR "370"/\$6.ccls.)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:47

S92	1659	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) NEAR2 control\$4 SAME (threshold\$1 OR level\$1 OR water\$1mark\$3 OR water\$1 ADJ1 mark\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:02
S93	519	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) NEAR2 control\$4 WITH (threshold\$1 OR level\$1 OR water\$1mark\$3 OR water\$1 ADJ1 mark\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:02
S94	✓ 88	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) NEAR2 control\$4 WITH (threshold\$1 OR water\$1mark\$3 OR water\$1 ADJ1 mark\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:02
S95	✓ 163	(dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) NEAR2 control\$4 SAME (threshold\$1 OR water\$1mark\$3 OR water\$1 ADJ1 mark\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:03
S96	✓ 9	("4658247" "5068849" "5734926" "6011798" "6026443" "6029225" "6070194" "6275877" "6393512") .PN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/01/26 15:09
S97	✓ 1	("6820142") .URPN.	USPAT	OR	OFF	2006/01/26 15:11
S98	✓ 15	("5208810" "5475433" "5515359" "5528591" "5550957" "5633867" "5633870" "5777624" "5825748" "5937436" "6112263" "6125433" "6243358" "6347337" "6594701") .PN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/01/26 15:11
S99	✓ 3	("6747949") .URPN.	USPAT	OR	OFF	2006/01/26 15:12
S10 0	✓ 10	("4489380" "4543629" "4837677" "4987529" "5191581" "5448703" "5608889" "5664197" "5896550" "5944807") .PN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/01/26 15:13
S10 1	✓ 2	("6151654") .URPN.	USPAT	OR	OFF	2006/01/26 15:13

S10 2	✓ 47	("4099236" "4490785" "4507732" "4701841" "4779190" "4782439" "4853846" "4982321" "5109517" "5175826" "5359717" "5414820" "5506973" "5619729" "5644784" "5664197" "5708849" "5729762" "5749092" "5751270" "5761532" "5794070" "5802269" "5805842" "5828903" "5862387" "5870628" "5875351" "5890012" "5894560" "5898694" "6003122" "6081851" "6108743" "6122679" "6151654" "6157970" "6182165" "6192428" "6219583" "6260081" "6275242" "6317799" "6385671" "6430628" "6449259" "6622183") . PN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/01/26 15:15
S10 3	✓ 20	("5729762") . URPN.	USPAT	OR	OFF	2006/01/26 15:18
S10 4	✓ 22	710/22,28,240.ccls. AND ((switch\$3 OR system\$1) ADJ1 on ADJ1 chip\$1 OR system\$1on\$1chip\$1 OR switch\$1on\$1chip\$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:53
S10 6	3727	ring\$1 WITH reset\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 17:44
S10 7	555	S106 AND reset\$3 WITH bit\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 17:44
S10 8	950	(ring\$1 OR loop\$1 OR circle\$1 OR circular\$1) NEAR2 (network\$1 OR bus OR buses) AND reset\$3 WITH bit\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:26
S10 9	✓ 52	(ring\$1 OR loop\$1 OR circle\$1 OR circular\$1) NEAR2 (network\$1 OR bus OR buses) SAME reset\$3 WITH bit\$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:30
S11 0	1258	soft\$1reset\$3 OR soft NEAR2 reset\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:31

S11 1	✓ 82	(ring\$1 OR loop\$1 OR circle\$1 OR circular\$1) NEAR2 (network\$1 OR bus OR buses) AND (soft\$1reset\$3 OR soft NEAR2 reset\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:37
S11 2	1010	(ring\$1 OR loop\$1 OR circle\$1 OR circular\$1) NEAR2 (network\$1 OR bus OR buses) AND (reset\$3 WITH (header\$1 OR field\$1 OR packet\$1 OR messag\$3 OR msg\$1))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:38
S11 3	✓ 57	(ring\$1 OR loop\$1 OR circle\$1 OR circular\$1) NEAR2 (network\$1 OR bus OR buses) SAME (reset\$3 WITH (header\$1 OR field\$1 OR packet\$1 OR messag\$3 OR msg\$1))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:43
S11 4	✓ 2	"5581549".pn	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:44
S11 5	✓ 2	"20030043751"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:45
S11 6	✓ 2	JP-2000004229-\$.did.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:46
S11 7	✓ 2	JP-11145985-\$.did.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 18:46
S11 8	✓ 4	("5581549").URPN	USPAT	OR	OFF	2006/01/26 18:49
S11 9	✓ 5	("5245605" "5271008" "5339314" "5392286" "5566179").PN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/01/27 10:17
S12 0	0	("5799020").URPN	USPAT	OR	OFF	2006/01/27 10:19
S12 1	✓ 6	("4347498" "4995032" "5063562" "5142653" "5182747" "5214648").PN.	US-PGPUB ; USPAT; USOCR	OR	OFF	2006/01/27 10:20
S12 2	✓ 9	("5392286").URPN	USPAT	OR	OFF	2006/01/27 10:23
S12 4	2342	hard\$1ware\$1 NEAR2 re\$1set\$4	USPAT	OR	OFF	2006/01/27 10:24
S12 5	✓ 29	hard\$1ware\$1 NEAR2 re\$1set\$4 SAME ring\$1	USPAT	OR	OFF	2006/01/27 10:31
S12 6	31647	re\$1set\$4 NEAR2 input\$1	USPAT	OR	OFF	2006/01/27 10:31
S12 7	✓ 550	re\$1set\$4 NEAR2 input\$1 SAME ring\$1	USPAT	OR	OFF	2006/01/27 10:50

S12 8	20619	re\$1set\$4 NEAR3 line\$1	USPAT	OR	OFF	2006/01/27 10:51
S12 9	✓345	re\$1set\$4 NEAR3 line\$1 SAME ring\$1	USPAT	OR	OFF	2006/01/27 10:58
S13 0	882	re\$1set\$4 NEAR3 hard\$1	USPAT	OR	OFF	2006/01/27 10:58
S13 1	✓14	re\$1set\$4 NEAR3 hard\$1 SAME ring\$1	USPAT	OR	OFF	2006/01/27 11:00
S13 2	✓269	(370/257,258,403,404.ccls. OR 709/251.ccls.) AND reset\$1	USPAT	OR	OFF	2006/01/27 11:10

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	((dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) NEAR2 control\$4 SAME ring\$1) clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 18:15
L2	13	((dynamic\$5 ADJ1 memor\$3 ADJ1 access\$3 OR DMA) NEAR2 control\$4 SAME agent\$1). clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 18:15